Liner Dimensions: To Order Depth of Relief 1-1/2" Max

CFL-ASH033A

ASHLAR SERIES: SHORELINE FIELDSTONE



General Product Description

Liner Dimensions: To order Depth of Relief: 1-1/2" MAX

Dimensions and surface texture may vary according to project specifications

Fabrication and Installation

All liners are fabricated from urethane rubber (+/- 50 uses)
Form liners can be reinforced with wood or other suitable material as specified


Release Agents

Release agents must be approved and applied according to CFL's installation instructions

Liner Dimensions: To Order Depth of Relief 1-1/2" Max


CFL-ASH033A

ASHLAR SERIES: SHORELINE FIELDSTONE





CONCRETE SECTION VIEW: A




FORM LINER SECTION VIEW: A NOTE: FORM LINER THICKNESS VARIES ACCORDING TO THE SIZE OF THE PANEL.

Liner Dimensions: To Order Depth of Relief 1-1/2" Max

CFL-ASH033B

ASHLAR SERIES: SHORELINE FIELDSTONE



General Product Description

Liner Dimensions: To order Depth of Relief: 1-1/2" MAX

Dimensions and surface texture may vary according to project specifications

Fabrication and Installation

All liners are fabricated from urethane rubber (+/- 50 uses)
Form liners can be reinforced with wood or other suitable material as specified


Release Agents

Release agents must be approved and applied according to CFL's installation instructions

Liner Dimensions: To Order Depth of Relief 1-1/2" Max


CFL-ASH033B

ASHLAR SERIES: SHORELINE FIELDSTONE





CONCRETE SECTION VIEW: A




FORM LINER SECTION VIEW: A NOTE: FORM LINER THICKNESS VARIES ACCORDING TO THE SIZE OF THE PANEL.

Liner Dimensions: To Order Depth of Relief 1-1/2" Max

CFL-ASH033C

ASHLAR SERIES: SHORELINE FIELDSTONE



General Product Description

Liner Dimensions: To order Depth of Relief: 1-1/2" MAX

Dimensions and surface texture may vary according to project specifications

Fabrication and Installation

All liners are fabricated from urethane rubber (+/- 50 uses)
Form liners can be reinforced with wood or other suitable material as specified


Release Agents

Release agents must be approved and applied according to CFL's installation instructions

Liner Dimensions: To Order Depth of Relief 1-1/2" Max


CFL-ASH033C

ASHLAR SERIES: SHORELINE FIELDSTONE





CONCRETE SECTION VIEW: A



FORM LINER SECTION VIEW: A NOTE: FORM LINER THICKNESS VARIES ACCORDING TO THE SIZE OF THE PANEL.